

	Hits	Search Text	DBs
1	163	applet same (secure near3 (connection or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	1	("6023708").PN.	USPAT; USOCR
3	1	("6085192").PN.	USPAT; USOCR
4	1	("6131116").PN.	USPAT; USOCR
5	632	((authorized or authenticated) near5 (process or applet or application or code or program)) with (access near3 (resource or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	85	authorized with applet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	9	(authorized with applet) same ((request\$3 or access\$3) near4 (resource or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	642	applet with ((access\$3 or request\$3) near3 (resource or application or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	439	applet near5 ((access\$3 or request\$3) near3 (resource or application or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	88	(applet near5 ((access\$3 or request\$3) near3 (resource or application or data))) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	18	"5847957".URPN.	USPAT
13	25	("5204947" "5239466" "5283861" "5315711" "5349675" "5479599" "5483631" "5497463" "5699494" "5715453" "5727135" "5727155" "5742759" "5761421" "5761656" "5778356" "5801689" "5801707" "5802530" "5805442" "5812826" "5845299" "5847957" "5949412" "5956036").PN.	USPAT
14	21	"electronic badge" and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

15	8155	713/153,155-157,164- 167,182,185,189,201- 202;705/54;709/203,217,219,227,229 .ccls.	USPAT
----	------	--	-------

	Hits	Search Text	DBs
16	145	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229.ccls. and ((applet or activex or "active x") same (authenticat\$3 or authoriz\$5))	USPAT
17	21	713/185.ccls. and (applet or activex or "active x")	US-PGPUB; USPAT
18	65	713/185.ccls. and (access near2 (control or right or level)) and @ad<"19980401"	US-PGPUB; USPAT
19	10	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<"19980401"	US-PGPUB; USPAT
20	46	713/185.ccls. and ("smart card" or "ic card" with badge) and @ad<"19980401"	US-PGPUB; USPAT
21	0	713/185.ccls. and (("smart card" or "ic card") with badge) and @ad<"19980401"	US-PGPUB; USPAT
22	0	713/185.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT
23	4	713/185.ccls. and badge and @ad<"19980401"	US-PGPUB; USPAT
24	2	713/201-202.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT
25	5	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229.ccls. and ((applet or activex or "active x") with (credential or privilege or (access near2 level))) and @ad<"19980401"	US-PGPUB; USPAT
26	1	("5815574").PN.	USPAT; USOCR
27	8155	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229.ccls.	USPAT
28	60	713/153,155-157,164-167,182,185,189,201-202;705/54;709/203,217,219,227,229.ccls. and passport	USPAT
29	2	("5710817" "5835595").PN.	USPAT
30	5	"6005939".URPN.	USPAT

	Hits	Search Text	DBs
31	13	("5081678" "5452433" "5455953" "5463690" "5623546" "5671279" "5719942" "5724423" "5737414" "5737422" "5784463" "5835595" "5852666").PN.	USPAT
32	27	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz\$5 or authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	1	("6587836").PN.	USPAT; USOCR
34	9	riggins-mark-d.in.	US-PGPUB; USPAT
35	1	("6708221").PN.	USPAT; USOCR
36	336	(certificate or credential or sso or (single adj sign\$lon)) near5 ((id or identi\$8) near3 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	10	"6055637".URPN.	USPAT
38	4	("4471216" "5005200" "5534855" "5757920").PN.	USPAT
39	134	(certificate or token or passport or cookie) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	5	(applet or "active x" or activex) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	1	("6711681").PN.	USPAT; USOCR
42	7	("5710817" "5774551" "5848412" "6023762" "6035406" "6105132" "6304973").PN.	USPAT
43	552	(privilege or credential or "access right") near5 (chang\$3 or alter\$3 or adjust\$3)	USPAT
44	11	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3))	USPAT
45	1	("4135240").PN.	USPAT; USOCR
46	23	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3 or augment\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	27	(end\$3 or terminat\$3 or kill\$3 or destroy\$3 or remov\$3 or delet\$3) near4 (certificate or cookie or passport or credential or privilege or "access right") with	USPAT; EPO; JPO; DERWENT; IBM_TDB

		(instruc\$3 or order\$3)	
--	--	--------------------------	--

	Hits	Search Text	DBs
48	41	(certificate or cookie or passport or credential or privilege or "access right" or applet) near3 (expir\$5 or invalid) with (destroy\$3 or discard\$3 or remov\$3 or delet\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	37	(regist\$6 near4 (telephone or phone)) with (assign\$3 near3 (password or code or secret or passphrase or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	53	(regist\$6 near4 (telephone or phone)) same ((assign\$3 or distribut\$3) near3 (password or code or secret or passphrase or (\$cryption adj key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	16	(password near3 (assign\$3 or distribut\$3)) with \$phone same regist\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	114	705/76.ccls.	USPAT
53	1940	((user or buyer or subscriber or customer) near4 (regist\$5 or enroll\$4 or subscri\$5)) same ((via or using or over) near5 \$phone) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	98	((user or buyer or subscriber or customer) near4 (regist\$5 or enroll\$4 or subscri\$5)) same ((via or using or over) near5 \$phone) and @ad<"19980401") and ((receiv\$3 or acquir\$3 or assign\$3 or distribut\$3) near3 (password or (\$cryption key)) same \$phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	192	applet same (secure near3 (connection or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	14	((authorized or authenticated) near5 (process or applet)) with (access near3 (resource or application)) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	9	(authorized with applet) same ((request\$3 or access\$3) near4 (resource or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	88	(applet near5 ((access\$3 or request\$3) near3 (resource or application or data))) and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	21	"5847957".URPN.	USPAT

	Hits	Search Text	DBs
60	25	("5204947" "5239466" "5283861" "5315711" "5349675" "5479599" "5483631" "5497463" "5699494" "5715453" "5727135" "5727155" "5742759" "5761421" "5761656" "5778356" "5801689" "5801707" "5802530" "5805442" "5812826" "5845299" "5847957" "5949412" "5956036").PN.	USPAT
61	21	"electronic badge" and @ad<"19980401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	155	713/153,155-157,164- 167,182,185,189,201- 202;705/54;709/203,217,219,227,229 .ccls. and ((applet or activex or "active x") same (authentikat\$3 or authoriz\$5))	USPAT
63	27	713/185.ccls. and (applet or activex or "active x")	US-PGPUB; USPAT
64	66	713/185.ccls. and (access near2 (control or right or level)) and @ad<"19980401"	US-PGPUB; USPAT
65	11	713/185.ccls. and ((security or access or authorization or credential) near2 token) and @ad<"19980401"	US-PGPUB; USPAT
66	46	713/185.ccls. and ("smart card" or "ic card" with badge) and @ad<"19980401"	US-PGPUB; USPAT
67	0	713/185.ccls. and (("smart card" or "ic card") with badge) and @ad<"19980401"	US-PGPUB; USPAT
68	0	713/185.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT
69	4	713/185.ccls. and badge and @ad<"19980401"	US-PGPUB; USPAT
70	2	713/201-202.ccls. and (("smart card" or "ic card") same badge) and @ad<"19980401"	US-PGPUB; USPAT

71	6	713/153,155-157,164- 167,182,185,189,201- 202;705/54;709/203,217,219,227,229 .ccls. and ((applet or activex or "active x") with (credential or privilege or (access near2 level))) and @ad<"19980401"	US-PGPUB; USPAT
----	---	---	-----------------

	Hits	Search Text	DBs
72	74	713/153,155-157,164- 167,182,185,189,201- 202;705/54;709/203,217,219,227,229 .cccls. and passport	USPAT
73	8	"6005939".URPN.	USPAT
74	13	("5081678" "5452433" "5455953" "5463690" "5623546" "5671279" "5719942" "5724423" "5737414" "5737422" "5784463" "5835595" "5852666").PN.	USPAT
75	34	((electronic or digital) near2 passport) same (privilege or credential or access or authoriz\$5 or authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	11	riggins-mark-d.in.	US-PGPUB; USPAT
77	130	(certificate or credential or sso or (single adj sign\$lon)) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB
78	4	("4471216" "5005200" "5534855" "5757920").PN.	USPAT
79	156	(certificate or token or passport or cookie) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB
80	6	(applet or "active x" or activex) near5 ((id or identi\$8) near3 password)	USPAT; EPO; JPO; DERWENT; IBM_TDB
81	7	("5710817" "5774551" "5848412" "6023762" "6035406" "6105132" "6304973").PN.	USPAT
82	13	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3))	USPAT
83	25	(privilege or credential or "access right") with (dynamic\$4 near3 (chang\$3 or alter\$3 or adjust\$3 or add\$3 or remov\$3 or augment\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB
84	44	(certificate or cookie or passport or credential or privilege or "access right" or applet) near3 (expir\$5 or invalid) with (destroy\$3 or discard\$3 or remov\$3 or delet\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB

85	40	(regist\$6 near4 (telephone or phone)) with (assign\$3 near3 (password or code or secret or passphrase or key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	----	--	---

	Hits	Search Text	DBs
86	60	(regist\$6 near4 (telephone or phone)) same ((assign\$3 or distribut\$3) near3 (password or code or secret or passphrase or (\$cryption adj key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	18	(password near3 (assign\$3 or distribut\$3)) with \$phone same regist\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	98	((user or buyer or subscriber or customer) near4 (regist\$5 or enroll\$4 or subscri\$5)) same ((via or using or over) near5 \$phone) and @ad<"19980401") and ((receiv\$3 or acquir\$3 or assign\$3 or distribut\$3) near3 (password or (\$cryption key)) same \$phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB